

SECTION 1: PRODUCT IDENTIFICATION**Product Name:** ProSelection SELF ADHERED**Generic Name:** HouseWrap: Breathable Film Laminated with Non Woven Fabrics with Adhesive Backing**Product Description:** Moisture permeable sheet with high water resistance. Designed for use as a barrier material in building applications.**SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No.
Polypropylene	9003-07-0
Vinyl Acetate	108-05-4
Polyethylene	9002-88-4
Calcium Carbonate	471-34-1
Acrylic Acid	79-10-7
Additive	/

SECTION 3: HAZARD IDENTIFICATION

This product is not classified as hazardous under normal use in construction as building underlays/wraps.

SECTION 4: FIRST AID MEASURES**Skin Contact**

The product is an inert solid. Does not require skin protection while handling and does not cause skin irritation during normal use. Wash with soap and warm water after contact if required. Seek medical attention if irritation occurs. When the material molts, it will adhere to skin and cause burns. Cool the material under running water and seek medical attention for removal and to treat the burn.

Eye Contact

The product is an inert solid, rinse with water if contact with eyes occur. If irritation occurs, seek medical attention.

Inhalation

Move to an area with fresh air and seek medical attention if required.

Ingestion

In the unlikely event of ingestion, seek medical attention.

SECTION 5: FIREFIGHTING MEASURES

Means of Extinction

Foam, CO, dry chemical, water

Combustion Products

Oxides of carbon and nitrogen, hydrogen chloride, aldehydes. Traces of other toxic gases may also be present.

Hazards

Dense toxic smoke-breathing apparatus and protective clothing required. Excessive dripping and accumulation of molten material can cause burns and spread fire.

SECTION 6: HANDLING AND STORAGE

Handling

This product is not classified as hazardous under normal use in construction. Safe lifting practices should be used. Personal protective equipment to be used as appropriate.

Storage

Store rolls in dry environment away from ultraviolet light exposure. If product is stacked on a pallet, ensure adequate restraints are in place to prevent collapse.

SECTION 7: PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Solid

Appearance

Dark green + white (or black) particles + white pattern.

Melting Point

Not determined.

SECTION 8: STABILITY AND REACTIVITY

Stability

Stable under normal conditions. Degradation can occur at temperatures above 100°C. No further information available.

Reactivity

Can react with strong oxidizing agents and open flames.

SECTION 9: ECOLOGICAL INFORMATION

Hazards

Not determined.

SECTION 10: DISPOSAL CONSIDERATIONS

Methods

As per local authority requirements.

SECTION 11: TRANSPORT INFORMATION

Methods

No special requirements needed.

SECTION 12: DISCLAIMER

The opinions expressed herein are those of qualified experts within R.H. Tamlyn & Sons, LP. We believe the information contained herein is current as the date of this MSDS. Since the use of the product is not within the control of R.H. Tamlyn & Sons, LP. it is the user's obligation to determine the conditions of safe use.

PREPARED BY: R.H. Tamlyn & Sons, Inc

MSDS #: TWPSA

DATE PREPARED: November 1, 2025

DATE ISSUED: November 1, 2025